

## Message Text

UNCLASSIFIED

PAGE 01 STATE 206624

15

ORIGIN COME-00

INFO OCT-01 EA-11 ISO-00 EB-11 RSC-01 /024 R

66612

DRAFTED BY:COM/BIC/OIM/PROGDEV/MRD:DAWSON

APPROVED BY:EB/OCA/REP:GPWILSON

COM/BIC/OIM/PROGDEV/MRD-216:NBASSETT

COM/BIC/OIM/PROGDEV/RCS-216:CGENDREAU

----- 084315

R 191954Z SEP 74

FM SECSTATE WASHDC

TO AMEMBASSY TOKYO

UNCLAS STATE 206624

E.O. 11652: N/A

TAGS: BEXP, JA

SUBJEC: GMS - LABORATORY INSTRUMENTS

REF: TOKYO 12009; STATE A-6864

1. COPY REPAIR OF SEPT. 3 SENT THIS DATE IN RESPONSE  
REFTEL.

2. OCTOBER 18 ESTABLISHED AS DEADLINE FOR TRANSMITTAL  
TO COMMERCE OF BID PROPOSALS. TRUST POST WILL THEREFORE  
PROCEED WITH BID SOLICITATIONS WHILE AWAITING  
RECEIPT A-6864. NO INFO IN REPAIR NEEDED FOR INITIATION OF  
BIDDING. KISSINGER

UNCLASSIFIED

NNN

## Message Attributes

**Automatic Decaptioning:** X  
**Capture Date:** 01 JAN 1994  
**Channel Indicators:** n/a  
**Current Classification:** UNCLASSIFIED  
**Concepts:** n/a  
**Control Number:** n/a  
**Copy:** SINGLE  
**Draft Date:** 19 SEP 1974  
**Decaption Date:** 01 JAN 1960  
**Decaption Note:**  
**Disposition Action:** n/a  
**Disposition Approved on Date:**  
**Disposition Authority:** n/a  
**Disposition Case Number:** n/a  
**Disposition Comment:**  
**Disposition Date:** 01 JAN 1960  
**Disposition Event:**  
**Disposition History:** n/a  
**Disposition Reason:**  
**Disposition Remarks:**  
**Document Number:** 1974STATE206624  
**Document Source:** CORE  
**Document Unique ID:** 00  
**Drafter:** COM/BIC/OIM/PROGDEV/MRD:DAWSON  
**Enclosure:** n/a  
**Executive Order:** N/A  
**Errors:** N/A  
**Film Number:** D740264-0477  
**From:** STATE  
**Handling Restrictions:** n/a  
**Image Path:**  
**ISecure:** 1  
**Legacy Key:** link1974/newtext/t19740931/aaaaazsm.tel  
**Line Count:** 44  
**Locator:** TEXT ON-LINE, ON MICROFILM  
**Office:** ORIGIN COME  
**Original Classification:** UNCLASSIFIED  
**Original Handling Restrictions:** n/a  
**Original Previous Classification:** n/a  
**Original Previous Handling Restrictions:** n/a  
**Page Count:** 1  
**Previous Channel Indicators:**  
**Previous Classification:** n/a  
**Previous Handling Restrictions:** n/a  
**Reference:** TOKYO 12009; STATE A-6864  
**Review Action:** RELEASED, APPROVED  
**Review Authority:** martinjw  
**Review Comment:** n/a  
**Review Content Flags:**  
**Review Date:** 26 MAR 2002  
**Review Event:**  
**Review Exemptions:** n/a  
**Review History:** RELEASED <26 MAR 2002 by maustmc>; APPROVED <31 JAN 2003 by martinjw>  
**Review Markings:**

Declassified/Released  
US Department of State  
EO Systematic Review  
30 JUN 2005

**Review Media Identifier:**  
**Review Referrals:** n/a  
**Review Release Date:** n/a  
**Review Release Event:** n/a  
**Review Transfer Date:**  
**Review Withdrawn Fields:** n/a  
**Secure:** OPEN  
**Status:** NATIVE  
**Subject:** C: GMS - LABORATORY INSTRUMENTS  
**TAGS:** BEXP, JA  
**To:** TOKYO  
**Type:** TE  
**Markings:** Declassified/Released US Department of State EO Systematic Review 30 JUN 2005